

Electric Beds

The optimum solution for hospitals that demand safety, security and efficiency .

General Technical Specifications :

Framework :

-Epoxy powder coated steel four sections.

Accessories :

-Stainless steel (one) IV pole & (two) IV pole mounts .

-4 Bumpers for protection.

-Washable 12 cm waterproof covered, high density, soft foam mattress.

Castors :

-5 inch x 4 swivel castors (two of them with brakes).
or 6 inch x 4 swivel castors (with central brakes).

HEAD & FOOT Boards :

-Easily removable (One step), ABS head and foot board.

Weight capacity :

-Up to 200 KG .

Four Motors Bed :

Movements :

-Vary of movements according to the selected specifications starting from one movement using linear motors with common specifications :

1- Adjustable Back rest by means of linear motor up to 75° .

2- Adjustable Leg rest by means of linear motor up to 30° .

3- Trendelenburg/ reverse Trendelenburg 15° for electric beds only .

4- CPR .

Dimensions :

-Patient area: (L x W x H)
200 x 90 x 56-77 cm . without mattress .

-Overall dimension: (L x W x H)
225 x 105 x 56-77 cm .

Mattress board :

-Removable ABS or Metal .

Side Rails :

-ABS or Metal .





Three Motors Bed :

Movements :

- Adjustable height by means of linear motor \updownarrow .
- Adjustable Back rest by means of linear motor up to 75° .
- Adjustable Leg rest by means of linear motor up to 30° .
- Electric CPR .

Dimensions :

- Patient area: (L x W x H)
200 x 90 x 50-75 cm . without mattress .
- Overall dimension: (L x W x H)
225 x 105 x 56-85 cm .

Mattress board :

- Metal Sheet .

Side Rails :

- ABS or Foldable side rails .



Bed Accessories :

Head & Foot Boards :



LS900B
ABS, Removable .



JCP35-Z2
ABS, Removable .



JCP35-ZT
ABS, Removable .
with integrated Nurse
control for Electric
Beds only .



LS900W
ABS, Removable .
Supported with Epoxy
coated steel pipe .


Side Rails :



HJCP35H03 (4 pcs)
ABS, 2 pcs, each side,
with integrated patient
control panel .



HJCP35H02 (4 pcs)
ABS, 2 pcs, each side,
with integrated patient
control panel .



HJCP35H05 (4 pcs)
ABS, 2 pcs, each side,
with integrated patient
control panel , with
angle measure .



802
Foldable
Stainless
Steel column .



802-A
Foldable
Aluminum
column .

Support Mattress Platform , Bed Board :



Removable ABS



Flex ABS



LS-750L (2pcs)
ABS, 1 pcs, each side .



LS-750M (4pcs)
ABS, 2 pcs, each side .

Remote Controls :



JCHN35E-JCYLXT-C2



**JCH35A2-A-6-G-6L6
L1-4DO-L**

Castors :



80F



103F



SSD-120B



T150C



www.ghalioungui.com



In accordance with the following standards:
IEC/EN-60601-1, IEC/EN-60601-1-2,
IEC/EN-60601-2-52 et amdt 1.
Beds in conformity with Directive 93/42/EEC

Headquarter : 6117 ALQuds St. Mokattam
P.O.Box:161, Postal Code
11585 Cairo, Egypt
mail@ghalioungui.com

Factory : 10th of Ramadan.
-A. 1 - Section
No : X.H.
factory@ghalioungui.com

Tel : +20 128 944 4448

Fax : +20 2284 048 08
+20 2284 042 78